

TEST REPORT

Task Number BP10

Testing Received 3rd Dec 2025

SAMPLE BC10 BPC 157 10MG

MANUFACTURER www.bodypharm.me

BATCH P-BP10-20251203

SAMPLE DESCRIPTION See picture/s attached

TESTS REQUESTED Assessment of vial

RESULTS



Concentration of cartridge	Total API of 10.9mg per vial
----------------------------	------------------------------

Purity	99.1%
--------	-------

Dimer of related proteins	N/A
---------------------------	-----

COMMENTS:

Analysis Conducted 3rd Dec 2025

Signature


SAMPLE BC10 BPC 157 10MG

MANUFACTURER www.bodypharm.me

ANALYSIS HPLC

Sample name P-BP10-20251203

Chromatogram



Results

	Peak name	Retention time (min) (分钟)	Peak rel area(%)
1		9.538	0.21
2	BP	9.899	99.07
3		10.669	0.50
4		11.169	0.10
5		12.500	0.12

Analysis Conducted 3rd Dec 2025

Signature

MANUFACTURER

www.bodypharm.me

Certificate of Analysis

Name	P-BP10	specs	10mg/Vial
Lot No.	P-BP10-20251203	Manufacture Date	2025.12.03
Storage	Protected from light, Store at 25℃ for short-term transportation;Store in a dark place and in a sealed container at 2-8℃ for long term storage.		
Test Items	Acceptance Criteria	Test Results	
【Description】			
Appearance	White or off-white cake	White cake	
Solubility	Free soluble in water	Conforms	
【Identification】			
HPLC Identification	The retention time of the major peak of the Sample solution corresponds to that of the Standard solution, as obtained in the Assay.	Conforms	
【Test】			
Purity	NLT 98.0%	99.1%	
Related Substances	Individual impurity NMT1.0%	0.50%	
	Total impurities NMT2.0%	0.93%	
Clarity and Coloration of solution	Clear and colorless, or if its opalescence is not more pronounced than that of reference suspension 1	Conforms	
Water	NMT 5.0%	3.7%	
Sterility Tests	Meet Requirements	Conforms	
Bacterial endotoxins	NMT 20 EU/mg	Less than 5 EU/mg	
【Assay】			
Assay	≥9.5 mg/Vial	10.9 mg/Vial	
Conclusion: The test results comply with the in-house specification.			

Signature

